

## EMBELLISHED LINENS

Barbara Moore



Create a beautiful heirloom from purchased cotton sheets and the fabulous stitches on your HUSQVARNA VIKING sewing machine

These sheets will make a lovely wedding gift for that special someone or just make your own bed feel beautiful.

You will be amazed at how easy it is to “make an heirloom”

### **SUPPLIES:**

1 set of 100% cotton sheets any size

Clear Open Toe Foot

413031945

Twin Gimping Foot with Guide

920302096

Lace insertion the length of the sheet:

2 yards (twin)

2¼ yards (full)

2½ yards (queen)

3 yards (king)

INSPIRA® 90 Topstitch Needle	620099096
INSPIRA® Wing Needle size 100	620105696
INSPIRA® 80 Universal needle	620098096
Gimp Thread/Cord	416485501

60 weight cotton thread

Rayon Embroidery threads

Double bent trimmers

## CONSTRUCTION:

1. Wind a bobbin with 60 weight cotton thread and insert into your machine.
2. Insert Wing needle and thread machine with 60 weight cotton thread. Place the Clear Open Toe foot on your machine.
3. Select the entredeux stitch on your machine, DESIGNER EPIC™ C8, DESIGNER DIAMOND ROYALE D7 or a stitch that will make a hole in a back to back, side to side motion more than once.
4. Open the hem on either side of the top sheet below the heading.
5. Spray heading of sheet with spray starch. Let the starch dry slightly and press. Repeat this process until heading is stiff. (Always let starch dry slightly before pressing to prevent scorching the sheet)
6. Line wing needle up with the seam of the sheet heading and using the seam as a guide stitch using the entredeux stitch.
7. Press sheet from the wrong side into towel to make the entredeux stand up. You may starch it again.
8. With a blue washout marker, mark the center of the heading across the sheet.
9. Remove the wing needle and place an 80 universal needle in the machine. Place the insertion lace over the blue mark, centering



the lace motif in the center of the line.

10. Set machine to a small zig zag stitch, center needle position. Start with L2.0 and W 2.0, and adjust your stitch so that the stitch just covers the width of the lace heading.

11. Stitch the lace to the sheet on both sides. This is a stabilizing stitch to secure the lace to the sheet.

12. Remove the fabric from the back of the sheet using double bent trimmers. This will expose the lace.

13. Remove the 80 universal needle and place a 90 topstitch needle in the machine.

14. Select the pin stitch on your machine, DESIGNER EPIC™ - C14, DESIGNER DIAMOND ROYALE™ D46, DESIGNER RUBY ROYALE D36. If you don't have these stitches, select a blanket stitch and reduce the width until the stitch fingers go from the outside of the lace heading to the inside and covers the heading of the lace.

15. Stitch on both sides covering the zig zag stitch. This adds a beautiful decorative stitch to the lace. Gives the appearance of hand looked pin stitch without taking hours to do.


16. Remove the topstitch needle and replace with the 80 universal needle.

17. Remove the Open Toe foot and attach the Twin Gimping foot with Guide on your machine.

18. Cut two gimp cords the length of your sheet plus 2". This will allow for any shrinkage.

19. Place one cord in each guide and slip under the clip on the foot.

20. Go to [HUSQVARNAVIKING.com](http://HUSQVARNAVIKING.com) and select; Accessories Finder. Find the twin gimping foot with guide and click over the picture of the foot. You may read the instructions for the foot and then scroll down to download new stitches. Follow the instructions and download the new



stitches for your machine.

21. The stitches on the DESIGNER EPIC™ are P26 and 27.
22. Mark, with blue washout marker; the center between the entredeux stitch and the lace. Place the gimping foot over the line and stitch the stitch of your choice over the line.
23. Press the edges of the sheet under and stitch in place, covering the edges of all of your stitches and finishing the edges of the sheet.

ENJOY!!!!!!!



Barbara Moore©

alex35@att.net