



# Embroidered Lace Blouse

H | CLASS™ 600E

©2010 K SIN Luxembourg II S.r.l. VIKING and H|CLASS are trademarks of Husqvarna AB. All trademarks are used under license by VSM Group AB.

## SEWING MACHINE AND ACCESSORIES

HUSQVARNA VIKING® H|CLASS™ 600E sewing & embroidery machine

Bonus designs from the USB stick

Fabric: linen and organza for the lace

Burda Pattern 7834, Model A

Robison Anton 40 wt. rayon thread

Bobbin thread

## PREPARING THE FABRIC AND STABILIZER

1. Cut according to the pattern, except for the following pattern pieces which should be a bit larger than the hoop. This will make it a lot easier to hoop the fabric together with stabilizers:
2. Front bodice pieces  
Trace the pattern on two turquoise linen pieces. Once you have embroidered, cut according to the markings. Make sure you do not embroider on the darts.
3. V-neck pieces  
You need 24" (60cm) of lace divided into 4 embroideries. Cut four hoop size pieces organza including water soluble stabilizer.
4. Edge of sleeve pieces  
You need 19" (48cm) of lace per sleeve divided into three embroideries, which gives a total of six embroideries. Cut six hoop size pieces organza including water soluble stabilizer.


## EMBROIDERING THE FLOWERS

5. Click on the Flower combination design and then click OK. The design will appear on your screen. Send the design to the machine for embroidery.
6. Insert a size 75 embroidery needle. Thread your embroidery machine with embroidery thread on top and bobbin thread in the bobbin.
7. Hoop the front bodice piece with Tear-away stabilizer underneath the fabric. Make sure you mirror image the design when you are going to embroider the opposite side.
8. After you have finished embroidering, cut both pieces according to the markings, making sure you include seam allowance. Follow the instructions in your Burda pattern.


## EMBROIDERING THE LACE EDGINGS

9. Select your Cotton Lace design and transfer it to your machine. Thread your embroidery machine with embroidery thread on top and the bobbin.


10. Hoop one of the organza pieces with water soluble stabilizer underneath the fabric. Start to embroider. When you are finished repeat the same procedure 3 times.



11. When all the embroideries are finished wash away the stabilizers. Allow them to dry. Press.
12. Cut along the edges of the lace carefully. Leave an organza seam allowance 1/2" (1cm) at the side edges.



13. Pin the pieces together and stitch a small zigzag on top of the lace with embroidery thread. Make two for each side on the V-neck.



Follow the instructions in the Burda pattern for the V-neckline.

### EDGE OF SLEEVES

14. Select your Edge Cotton lace design and transfer it to your machine. Hoop one of the organza pieces with water soluble stabilizer underneath the fabric. Start to embroider. When you are finished repeat the same procedure 5 times.
15. When all the embroideries are finished wash away the stabilizers. Allow them to dry. Press.
16. Cut along the edges of the lace carefully. Leave an organza seam allowance  $\frac{1}{2}$ " (1 cm) at the side edges. See Illustration.
17. Pin all three pieces together and stitch a small zigzag on top of the lace with embroidery thread. Make two for each sleeve. Follow the instructions in the Burda pattern for the stitching the edge of the sleeves.

### SEW THE BLOUSE

18. To finish the blouse, follow the rest of the instructions from the Burda pattern.

