



KEEPING THE WORLD SEWING CLUB

“Do Not Forget!” Door Hanger

By

Diana Cedolia. Husqvarna Viking Educator


Sewing Supplies:

- One 40” x 6 1/2” strip of 100% cotton fabric
- One 11” x 6 1/2” piece of the same 100% cotton fabric
- 11” x 7” rectangle of Fast 2 Fuse
- Aqua Magic for the 240mm x 150mm hoop
- 1” x 12” strip of Aqua Magic Plus
- 40 wt. Rayon embroidery thread
- Bobbin wound with the same 40 wt. thread
- One plastic trigger snap clip with a metal key ring attached
- 240 mm x 150 mm hoop
- Glass head pins
- Rag Quilting Snips
- Sulky KK 2000 adhesive spray




Preparation


1. Place the top hoop on top of the Fast 2 Fuse and trace around the inside of the hoop.
2. Cut the Fast 2 Fuse along this line. It will now fit inside the top hoop.
3. Take the 40” strip and place it right side up on a flat surface.
4. Mark 7 lines across it as shown in the diagram below.




5. Fold according to the instructions and the diagrams that follow.
6. Take line #3, fold it and bring it up to line #1. This will form a pocket.



7. Take the line #5 fold it and make an inside crease along line #4. It will not reach up to the previous pocket. This pocket is a little smaller than the first one.



8. Take line #7 fold it and make an inside crease along line #6. It will not reach up to the previous pocket. This pocket is a little smaller than the first one.




9. Pin these pockets in place with glass head pins so when you pick up the fabric they do not move.
10. Lay the 11" x 6 1/2" piece of fabric wrong side up on a pressing surface.
11. Place the Fast 2 Fuse on top of it.
12. Place the folded pocket piece on top of the Fast 2 Fuse right side up.
13. Press everything with a steam iron and then remove the pins.
14. Turn the sandwich over and press from the other side.

Embroidery

1. Download Do Not Forget Hanger from www.husqvarnaviking.com monthly Design Page.
2. Hoop Aqua Magic.
3. Thread with 40 wt. rayon embroidery thread in the needle and bobbin.
4. Spray just a little of the Aqua Magic with the Sulky KK 2000 (very little!)

5. The top edge of the first pocket is the center horizontal line of the embroidery.
6. Place the fabric sandwich on top of the Aqua Magic lining up the top pocket edge with the horizontal center of the hoop.
7. Hold the sandwich in place while you start the embroidery (do not use FIX baste).
8. Start embroidering, then it is OK to let go of the sandwich.
9. When the machine stops, slide the hoop off the embroidery arm. *Do not remove the fabric from the hoop.*
10. Trim the center of the circle. It is OK to cut through the stabilizer.
11. Slide the hoop back on and continue with the embroidery.



12. When the machine stops slide the hoop off the embroidery arm and trim all the fabric from outside the embroidery (the gray in the diagram). *Do not cut the stabilizer away.* If you accidentally cut into it, repair the cut with a small piece of Aqua Magic Plus.
13. Slide the hoop back onto the hoop and continue with the embroidery until it is finished.
14. Trim away most of the Aqua Magic and rinse away the rest.

