



Cap and Scarf

Designed and created by:
Anna Haraldsson and Annika Svedberg

Your children will love this adorable set! Sew these accessories easily within a couple of hours.

Level: I

SEWING SUPPLIES

- HUSQVARNA VIKING® sewing machine
- Red jersey fabric with spots for cap and scarf 5/8 yd. (55 cm)
- Red jersey fabric for lining 5/8 yd. (55 cm)
- Sewing thread matching the fabric
- Bobbin thread
- 2" (5 cm) of 3/8" (1 cm) wide Elastic

PATTERN

Print out the pattern, which is included. Trace the pattern pieces onto pattern paper. Cut out.

CUT

Cap

Fabric:

- Place the pattern on the red jersey fabric with spots and cut two pieces. Transfer pattern markings for ties and casing to wrong side of fabric.
- Cut two strips 19 1/2" (50 cm) x 1 1/2" (4 cm).


- Cut two strips 19 1/2" (50 cm) x 3/8" (1 cm)

Lining: Place the pattern on the red jersey fabric for lining and cut two pieces.

Casing: Cut one strip 4" (10 cm) x 1 3/8" (3,5 cm) from the red jersey fabric for the casing for the elastic.

SCARF

Fabric and lining: Cut one rectangle 56" (140 cm) x 6 1/2" (17 cm). Measure down 5" (13 cm) and across 6 1/2" (17 cm) in the corners and cut off the corners.



3/8" (1cm) seam allowance included in all measurements.

SEW

Cap

Thread your HUSQVARNA VIKING® sewing machine with sewing thread on top and in bobbin. Select a stretch stitch from your HUSQVARNA VIKING® sewing machine. Place the two cap fabric pieces right sides together and stitch the upper edge together. Repeat with the lining pieces.


Sew the ties: Turn under the seam allowance on both long sides of the strip 19 1/2" (50 cm) x 1 1/2" (4 cm). Press. Fold the strip in half lengthwise, wrong sides together. Select a straight stitch and topstitch the edge closed. Repeat with the other strip.

Twist the ties: Hold one of the tie edges tight in one hand and twist as tightly as you can with the other hand. Fold in half and the tie will twist upon itself. Stitch the edges together with a few straight stitches. Repeat with the other tie.

Wind one of the 19 1/2" (50 cm) x 3/8" (1 cm), strip around your fingers into a little ball. Sew together with a straight stitch in the middle. Place the ball in the

folded end of the twisted ties and stitch to secure. Repeat with the other strip for the other tie.

Place the tie edges on the markings for the ties, on the right side of the cap fabric pieces. Lay them upwards on the cap. Pin.



Place the lining cap on top of the fabric cap right sides together and stitch all around. (The twisted ties will be between the two layers.) Leave an opening at the neck edge for turning right side out. Turn right side out. Topstitch the opening closed. Continue topstitching all around.

Sew the casing for the elastic. Turn under $\frac{3}{8}$ " (1 cm) all around the casing strip and press. Pin in place matching the markings for casing and topstitch the long sides. Thread the elastic through the tunnel. Topstitch in place on both short sides.

SCARF

Place the fabric piece and the lining piece right sides together and stitch all around leaving a 4" (10 cm) opening, in the middle of one long side for turning right side out. Turn right side out. Topstitch the opening closed. Continue topstitching all around.

